

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5841970".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 11:34
S2	2	"5987232".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 09:55
S3	2	"6618806".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 09:56
S4	63	encrypt\$3 near10 (port near address)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 10:48
S6	1	S4 and (shuffle\$5 near10 number)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 16:55
S7	1	S4 and (manipulat\$3 near bit)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 16:55
S8	1	S4 and (manipulat\$3 near10 bit)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 16:55
S9	4	(encrypt\$3 near10 (port near address)) and (traffic near10 (controller or manager))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 09:07
S10	3	encrypt\$3 near10 (port near address) and (session near5 router)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:17

S11	18647	codec	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 16:00
S13	63	encrypt\$3 near10 (port near address)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:11
S15	11	S11 and S13	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:54
S16	1185	codec and ((manag\$3 or control\$4) near10 traffic)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 16:01
S17	4	S16 and (randomiz\$4 near10 packets)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 16:10
S18	7	S11 and (rout\$4 near10 (encrypted near10 packet))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 16:12
S19	0	((rout\$4 near10 (encrypted near10 packet)) same (random\$4 near10 (sequence or order)))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 16:13
S20	8	((send\$3 or transfer\$3 or rout\$4) near10 (encrypted near10 packet)) same (random\$4 near10 (sequence or order)))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 16:13
S21	1	"5355413".PN.	USPAT; USOCR	OR	ON	2004/11/10 16:16
S22	1	"5349643".PN.	USPAT; USOCR	OR	ON	2004/11/10 16:16
S23	1	"4985919".PN.	USPAT; USOCR	OR	ON	2004/11/10 16:17
S24	1	"4984271".PN.	USPAT; USOCR	OR	ON	2004/11/10 16:18
S25	1	"6058476".PN.	USPAT; USOCR	OR	ON	2004/11/10 16:18
S26	1	"6252961".PN.	USPAT; USOCR	OR	ON	2004/11/10 16:19

S27	459	((assign\$4 near10 (sequence near number)) same packet) and ((send\$3 or transmit\$3) near5 packet)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:31
S28	11	S27 and randomiz\$4	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:00
S29	0	S27 and 380/268.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:01
S30	163	380/268.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 13:23
S31	133	380/268.ccls. and random\$5	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:03
S32	42	S27 and ((protect\$3 near5 packet) or (prevent\$4 near10 compromis\$4))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:37
S33	7	S30 and (creat\$4 near10 (random near number))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:56
S34	41	S30 and ((generat\$4 or creat\$4) near10 (random near number))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:03
S35	41	S30 and S34	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:19
S36	1	S35 and (bit near5 manipul\$3)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:28

S37	34	S35 and (key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:29
S38	0	shuffl\$4 near10 (sequence near5 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:31
S39	0	randomiz\$4 near10 (sequence near5 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:31
S40	342	(shuffl\$4 or randomiz\$4) near10 (sequence near5 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:32
S41	1	S40 and ((encrypt\$4 or encod \$4) near10 ((destination or receiver\$4) near10 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:37
S42	2	S40 and ((encrypt\$4 or encod \$4) same ((destination or receiver\$4) near10 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:37
S43	108	S30 and @pd< "20010828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 13:27
S44	0	S43 and 709/238.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 13:47
S45	1825	709/238.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 13:27
S46	4	S43 and (randomiz\$4 near15 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 13:32
S47	1	"5446683".PN.	USPAT; USOCR	OR	ON	2004/11/12 13:29

S48	3543	((shuffl\$4 or randomiz\$4) near15 number)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 16:47
S49	1121	S48 and ((assign\$4 or generat\$4 or creat\$4) same (random near5 number))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 13:52
S51	5	S49 and ((shuffl\$4 or randomiz\$4) same ((receiver or destination) near10 address))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 13:39
S52	2	S49 and 709/238.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 13:47
S53	47	S49 and router	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 16:42
S55	1	"6343066".PN.	USPAT; USOCR	OR	ON	2004/11/12 13:58
S56	1	"5267235".PN.	USPAT; USOCR	OR	ON	2004/11/12 13:58
S57	5	"0911256"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 16:44
S58	0	"09911256"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 16:44
S59	7	"09/911256"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 16:44
S60	23212	((shuffl\$4 or randomiz\$4) near15 number) ant rtp and sip	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 16:48

S61	1	((shuffl\$4 or randomiz\$4) near15 number) and "rtp" and "sip"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 16:48
S62	30	((shuffl\$4 or randomiz\$4) near15 number) and "rtp"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 16:48
S63	29	S62 not S61	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 16:49
S64	1082	password and (user near id) and hash	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 07:26
S65	34	S64 and (hash\$4 same (name and password and number and (user near name)))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 07:42
S66	2	"60199090".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 07:19
S67	1	"6237093".PN.	USPAT; USOCR	OR	ON	2004/11/15 07:25
S68	1	"6108790".PN.	USPAT; USOCR	OR	ON	2004/11/15 07:26
S69	1727	"380".clas. and hash\$4	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 07:31
S70	11	S69 and (hash\$4 same (name and password and number and (user near name)))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 07:32
S71	6	S70 not S65	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 07:32
S72	1	"5315658".PN.	USPAT; USOCR	OR	ON	2004/11/15 07:34
S73	1	"5802176".PN.	USPAT; USOCR	OR	ON	2004/11/15 07:37

S74	1	"5655077".PN.	USPAT; USOCR	OR	ON	2004/11/15 07:37
S75	1	"5590199".PN.	USPAT; USOCR	OR	ON	2004/11/15 07:37
S76	1	"5560008".PN.	USPAT; USOCR	OR	ON	2004/11/15 07:38
S77	1	"5506905".PN.	USPAT; USOCR	OR	ON	2004/11/15 07:38
S78	1	"5506905".PN.	USPAT; USOCR	OR	ON	2004/11/15 07:38
S79	1	"5321242".PN.	USPAT; USOCR	OR	ON	2004/11/15 07:40
S80	1	"5253295".PN.	USPAT; USOCR	OR	ON	2004/11/15 07:41
S81	73	(hash\$4 same (name and password and number and (user near name)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 07:42
S82	35	(hash\$4 same (name and password and number and (user near id)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 08:03
S83	275	(hash\$4 same (name and (random near number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 07:45
S84	7	S83 and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 08:01
S85	3	"2002013872"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 08:01
S86	2	"20020138728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 08:01
S87	0	(single near password) and (multiple near5 account) and (hash\$4 same (name and password and number and (user near id)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 08:04

S88	9	((single near password) and (multiple near5 account))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 08:26
S89	14	((common or single) near password) and (multiple near5 account)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 08:26
S90	5	S89 not S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 08:26
S91	1834	((transmit\$4 near10 packet) same (sequence near number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 12:00
S92	139	S91 and ((shuffl\$4 or random \$4) same (sequence near number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 14:46
S93	1	"6577596".PN.	USPAT; USOCR	OR	ON	2004/11/15 13:06
S94	1	"6563821".PN.	USPAT; USOCR	OR	ON	2004/11/15 13:07
S95	21	"11" and ((shuffl\$4 or random \$4) same (sequence near number)) and (random\$4 near code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:12
S96	2317	((real near5 time) same rtp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 09:26
S97	1431	S96 and sequenc\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 09:27
S98	40	S97 and randomiz\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 09:32

S99	184	(randomiz\$4 same (packet near5 transmi\$5))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 09:33
S100	44	S99 and (sequence near number)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 10:08
S101	34	shuffl\$4 near10 (sequence near number)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 10:18
S126	2	"6275588".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 13:27
S127	2	"6327625".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 13:28
S128	2011	(transmit\$4 near5 packet) and (header same (sequence near number))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 13:29
S129	0	S128 and S101	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 13:30
S130	209	S128 and rtp and random\$5	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 09:23
S131	3	"133" and rtp and random\$5 and (salt or seed)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 09:25
S132	54	rtp and random\$5 and (salt or seed) and (sequence near number)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 09:26

S133	8	rtp and random\$5 and (salt or seed) and (sequence near number) and encrypt\$3	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 11:29
S134	2	"6442686".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 11:30
S135	2	"6253322".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 11:30
S136	2	"20030051130"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:07
S137	279	713/153.ccls. and (forward \$3 or rerout\$3)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:15
S138	9	S137 and (assign\$3 near10 ((sequence or random) near number))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:16
S139	2	"20020001302"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 14:07
S140	2	"5966450".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:38
S141	4	"2002001302"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:39
S142	2	"20020001302"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 10:45

S143	2	"6182076".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 10:51
S144	2	"6330976".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 10:52
S145	2	"6064751".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 10:55
S146	2	"6577734".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 10:55
S147	2	"6415032".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 10:59
S148	2	"6385647".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 10:58
S149	2	"20020032853"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 10:58
S150	2	"6405318".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 10:59
S157	2	"5966450".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 14:49
S158	1	"5412730".PN.	USPAT; USOCR	OR	ON	2005/07/21 14:49
S159	1	"5258936".PN.	USPAT; USOCR	OR	ON	2005/07/21 14:51
S160	1	"5148485".PN.	USPAT; USOCR	OR	ON	2005/07/21 14:51
S161	1	"5081679".PN.	USPAT; USOCR	OR	ON	2005/07/21 14:53

S162	1	"5067156".PN.	USPAT; USOCR	OR	ON	2005/07/21 14:53
S163	2	"5966450".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 10:30
S164	2	"20020001302"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 11:36
S165	108	((encrypt\$5 or suffi\$5 or randomiz\$5) near8 (port near3 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 11:37
S166	438	((encrypt\$5 or suffi\$5 or randomiz\$5) near8 (destination near3 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 11:38
S167	17	S166 and S165	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 11:40
S168	26415	((receiv\$5 and stor\$5) near8 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 11:41
S169	105	S168 and ((randomiz\$5 or encrypt\$5 or suffi\$5) near8 (sequence near3 ("no." or number)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 12:10
S170	29	S169 and S166	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 11:44
S171	16	S167 not S170	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 11:54
S172	2	"20030091026"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 11:54

S173	2	"20030051130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 11:57
S174	320	S168 and ((rerout\$5 near6 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 12:00
S175	0	S174 and ((resequenc\$5 or randomiz\$5) near5 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 11:58
S176	4	S174 and ((resequenc\$5 or randomiz\$5) near10 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 11:58
S177	9	S168 and ((reorder\$5 and rerout\$5) near6 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 12:00
S178	105	S168 and ((randomiz\$5 or encrypt\$5 or suff\$5) near8 (sequence near3 ("no." or number or id)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 12:21
S179	96	S178 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:05
S180	0	S179 and ((rerout\$5 near5 packet) same destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:06
S181	1	S179 and (rerout\$5 near5 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:07
S182	37	S179 and (forward\$5 near5 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:11

S183	103	(sequence near3 ("no." or Number or id)) and (rerout \$5 near5 packet)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 14:14
S184	10	S183 and (tear near4 down)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 13:56
S185	9	S183 and (random near4 number)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 14:26
S186	9	S185 not S184	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 14:14
S187	6	S183 and (jitter near3 buffer)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 14:23
S188	5	S187 not S186	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 14:23
S189	103	S183 and (retransmit\$5 or rerout\$5)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 14:31
S190	6	S183 and (encrypt\$5 near8 address)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 14:34
S191	449	(sequence near5 number) and (encrypt\$5 near5 address)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 15:02
S192	1	S191 and (jitter near3 buffer)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 14:59

S193	69	S191 and (((random near3 number) near15 (sequence near3 number)))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 15:03
S194	6	S191 and (((random near3 number) near15 (sequence near3 number))) same (((randomization or encryption) near5 key))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 15:10
S195	80	S191 and (((random near3 number) same (((randomization or encryption) near5 key)))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 15:07
S196	1	S195 and (rerout\$5 near8 (packet or frame or cell))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 15:08
S197	2	*5457679*.pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 15:57
S198	223	((replac\$5 near5 (port near3 address)))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 16:04
S199	1110	((randomiz\$5 or encrypt\$5 or mask\$5) same (port near3 address))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 16:05
S200	2679	((randomiz\$5 or encrypt\$5 or mask\$5) same (destination near3 address))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 16:24
S201	42	((randomiz\$5 or encrypt\$5 or mask\$5) same (destination near3 (port adj1 address)))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 16:07
S202	12	((randomiz\$5 or encrypt\$5 or mask\$5) near15 (destination near3 (port adj1 address)))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 16:08

S203	1	S202 and (random near3 number)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 16:08
S204	1	S201 and (random near3 number)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 16:08
S205	1327	((randomiz\$5 or encrypt\$5 or mask\$5) near15 (destination near3 address))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 16:24
S206	1017	S205 and (packet)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 16:25
S207	16	S206 and ((reorder\$5 near5 packet)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 16:26
S208	25	S206 and ((resequenc\$5 or re-sequenc\$5 or reorder\$5) near5 packet)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 17:13
S209	2	"6826864".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 17:14
S210	2	"6826864".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 17:14
S211	13603	((stor\$5 and send\$5) near5 packet)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 15:39
S212	224	S211 and (jitter near3 buffer)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 15:39

S213	62	S212 and ((re-sequenc\$5 or re-order\$5 or resequenc\$5 or reorder\$5) near8 (packet or "sequence number"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 15:40
S214	47	S213 and ((real-time or voice or multi-media) near5 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 15:40
S215	77847	((stor\$5 and send\$5 or transmit\$5) near5 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 15:39
S216	619	S215 and (jitter near3 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 15:39
S217	96	S216 and ((re-sequenc\$5 or re-order\$5 or resequenc\$5 or reorder\$5) near8 (packet or "sequence number"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 15:40
S218	98	S216 and ((re-sequenc\$5 or re-order\$5 or resequenc\$5 or reorder\$5 or permut\$5) near8 (packet or "sequence number"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 15:40
S219	88	S218 and ((real-time or voice or multi-media) near5 (data or packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 15:52
S220	1	S219 and ((prevent\$5 or eliminat\$5 or protect\$5) near6 eavesdrop\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 15:53
S221	0	S219 and ((prevent\$5 or eliminat\$5 or protect\$5) near6 (intercept\$5 or breach \$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 15:54
S222	2	S219 and (secur\$5 near5 (send\$5 or transmit\$5 or communicat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 15:54

S223	2	S222 not S220	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 17:34
S224	0	((jitter adj1 buffer) and (sender or transmitter) and receiver and ((encrypt\$5 or scrambl\$5 or randomiz\$5) near5 (sequence adj1 (no or number))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 17:37
S225	2	((jitter adj1 buffer) and (sender or transmitter) and receiver and ((encrypt\$5 or scrambl\$5 or randomiz\$5) near8 (sequence adj1 (no or number))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 17:37
S226	4411	((replac\$5 chang\$5 substitut\$5 xor\$5) near6 (size near4 (buffer window)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:38
S227	1	S226 and ((resequenc\$5 randomiz\$5) near5 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 11:40
S228	3	S226 and ((resequenc\$5 resequenc\$5 shuffl\$5 randomiz\$5) near5 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 11:42
S229	40	S226 and ((resequenc\$5 resequenc\$5 reorder\$5 re-order\$5 shuffl\$5 randomiz\$5) near5 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:15
S230	37	S229 not S228	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 11:43
S231	18	S226 and ((resequenc\$5 resequenc\$5 reorder\$5 re-order\$5 shuffl\$5 randomiz\$5) near5 (sequence near4 ("no." number parameter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:23
S232	2	S226 and ((resequenc\$5 resequenc\$5 reorder\$5 re-order\$5 shuffl\$5 randomiz\$5) near5 (sequence near4 ("no." number parameter))) and (jitter near3 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:25

S233	0	((resequenc\$5 re-sequenc\$5 reorder\$5 re-order\$5 shuffl\$5 randomiz\$5) with (sequence near4 ("no." number parameter))) and (jitter near3 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:26
S234	0	((resequenc\$5 re-sequenc\$5 reorder\$5 re-order\$5 shuffl\$5 randomiz\$5) with (sequence near4 ("no." number parameter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:27
S235	1608	((resequenc\$5 re-sequenc\$5 reorder\$5 re-order\$5 shuffl\$5 randomiz\$5) with (sequence near4 ("no." number parameter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:53
S236	1009	((resequenc\$5 re-sequenc\$5 reorder\$5 re-order\$5 shuffl\$5 randomiz\$5) near7 (sequence near4 ("no." number parameter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:52
S237	7	S236 and (((transmit\$5 send\$5) near4 packet) with (((resequenced re-sequenced reordered re-ordered shuffled) near3 (sequence near5 ("no." number parameter))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:41
S238	88	((replac\$5 chang\$5 substitut\$5 xor\$5) near7 address) with (size near4 (buffer window))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:48
S239	0	((replac\$5 chang\$5 substitut\$5 xor\$5) near7 address) with ((size near4 (buffer window)) and (sequence near3 ("no." number parameter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:41
S240	0	((replac\$5 chang\$5 substitut\$5 xor\$5) near7 address) with ((size near4 (buffer window)) and sequenc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:41
S241	16	S236 and (((transmit\$5 send\$5) near4 packet) with (((resequenc\$5 re-sequenc\$5 reorder\$5 re-order\$5 shuffl\$5) near3 (sequence near5 ("no." number parameter))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:43

S242	9	S241 not S237	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:44
S243	0	S242 and ((intercept\$5 near6 communication))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:46
S244	0	S242 and ((avoid\$5 prevent \$5 protect\$5) with (intercept \$5 near6 communication))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:46
S245	1	S236 and ((avoid\$5 prevent \$5 protect\$5) with (intercept \$5 near6 communication))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:47
S246	0	S242 and S238	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:47
S247	0	S236 and S238	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:47
S248	1	S236 and 713/153.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 14:16
S249	0	S238 and 713/153.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:52
S250	1	((resequenc\$5 re-sequenc\$5 reorder\$5 re-order\$5 shuffl \$5 randomiz\$5) with (sequence near4 ("no." number parameter))) and 713/153.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:54
S251	10	((resequenc\$5 re-sequenc\$5 reorder\$5 re-order\$5 shuffl \$5 randomiz\$5) near5 packet) and 713/153.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 13:54

S252	5	S236 and 713/150-154.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 14:37
S253	2	"5541995".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 14:37
S254	2902	((resequenc\$5 re-sequenc\$5 suffi\$5 reorder\$5 re-order \$5) near7 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 10:05
S255	15	((receiv\$5 near7 ((series couple several) near5 packets)) same ((resequenc \$5 re-sequenc\$5 suffi\$5 reorder\$5 re-order\$5) near7 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 10:06
S256	9	((receiv\$5 near7 ((series couple several) near5 packets)) same ((resequenc \$5 re-sequenc\$5 suffi\$5 reorder\$5 re-order\$5) near7 (packet near3 (sequence order)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 10:07
S257	1	S256 and (random near5 (sequence order))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 10:10
S258	147	S254 and (random near5 (sequence order))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 10:35
S259	1413	((receiv\$5 near6 packets) same (((resequenc\$5 re- sequenc\$5 suffi\$5 reorder\$5 re-order\$5) near7 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 10:36
S260	76	S259 and (random near5 (sequence order))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 10:36
S261	0	((receiv\$5 near6 packets) same (((resequenc\$5 re- sequenc\$5 suffi\$5 reorder\$5 re-order\$5) near7 packet) with (random near5 (sequence order)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 10:37

S262	1	((receiv\$5 near6 packets) same (((resequenc\$5 re- sequenc\$5 suffl\$5 reorder\$5 re-order\$5) near7 packet) same (random near5 (sequence order)))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 10:37
S263	446	((resequenc\$5 re-sequenc\$5 suffl\$5 reorder\$5 re-order\$5 randomiz\$5) near7 (packet near3 sequence))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 11:45
S264	68	((resequenc\$5 re-sequenc\$5 suffl\$5 reorder\$5 re-order\$5 randomiz\$5) near7 (packet near3 sequence)) with (((transmit\$5 transfer\$5 send \$5) near4 packet)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 11:45
S265	0	((resequenc\$5 re-sequenc\$5 suffl\$5 reorder\$5 re-order\$5 randomiz\$5) near7 (packet near3 sequence)) same (((transmit\$5 transfer\$5 send \$5) near4 packet) with (random near5 (sequence order)))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 11:46
S266	65	S264 not S260	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 11:47
S267	9	S266 and @pd<="20010828"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 11:49
S268	56	S266 not S267	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 11:50
S269	1041	((resequenc\$5 re-sequenc\$5 suffl\$5 reorder\$5 re-order\$5 randomiz\$5) near7 (packet near3 (sequence order)))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 11:54
S270	976	S269 not S266	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 11:54

S271	72	S270 and ((transfer\$5 transmit\$5 send\$5) with (((reordered shuffled re-ordered randomized resequenced re-sequenced) near5 packets))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 11:56
S272	70	S271 not S260	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 11:56
S273	16	("20020019870" "20020042274" "20030065632" "5253330" "6119236" "6804201"). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 12:21
S274	9	S270 and 713/150-154.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 12:35
S275	4	S270 and 713/160,162,168. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 12:40
S276	0	S270 and 370\\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 13:10
S277	0	((rerout\$5 near5 packet) with (random near5 (sequence order)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 14:20
S278	0	((re-rout\$5 near5 packet) with (random near5 (sequence order)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 14:20
S279	175	((re-rout\$5 resend\$5 re-send\$5 transmit\$5 re-transmit\$5) near5 packet) with (random near5 (sequence order)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 14:20
S280	164	((re-rout\$5 resend\$5 re-send\$5 transmit\$5 re-transmit\$5 forward\$5) near5 packet) with (random near5 (sequence order)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 14:21

S281	4	((resequenc\$5 re-sequenc\$5 suffl\$5 reorder\$5 re-order\$5 randomiz\$5) near7 (packet near3 (sequence order))) and S280	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 14:22
------	---	---	---	----	----	---------------------

8/ 28/ 08 9:42:32 AM

C:\Documents and Settings\ASherkat\My Documents\EAST\Workspaces\09941229.wsp